Molecular and Cellular Biochemistry **248:** 227–230, 2003.

Index to Volume 248

Adeghate E, *see* Draper CE *et al*

Babusikova E, *see* Kaplan P *et al*
Banerjee AG, *see* Vishwanatha JK *et al*
Barbacane RC, *see* Reale M *et al*
Bhandari R, *see* Riccalton-Banks L *et al*
Bianchi G, *see* Reale M *et al*

Cacchio M, *see* Reale M *et al*
Castranova V, *see* Kang JL *et al*
Chang TKH, *see* Kawai M *et al*
Chen J, *see* Kawai M *et al*
Cheung CYS, *see* Kawai M *et al*
Conti P, *see* Reale M *et al*

Denegri M, *see* Di Meglio S *et al*
Derkach DN, *see* Hirano K *et al*
Di Gioacchino M, *see* Reale M *et al*
Di Giulio C, *see* Reale M *et al*
Di Meglio S, Denegri M, Vallefuoco S, Tramontano F, Scovassi AI and Quesada P: Poly(ADPR) polymerase-1 and poly(ADPR) glycohydrolase level and distribution in differentiating rat germinal cells 85–91
Do E, Taira E, Irie Y, Gan Y, Tanaka H, Kuo C-H and Miki N: Molecular cloning and characterization of rKAB1, which interacts with KARP-1, localizes in the nucleus and protects cells against oxidative death 77–83
Dobrota D, *see* Kaplan P *et al*
Dong J, *see* Sugawara T *et al*
Draper CE, Singh J and Adeghate E: Effects of age on morphology, protein synthesis and secretagogue-evoked secretory responses in the rat lacrimal gland 7–16

Felaco M, *see* Reale M *et al*
Fry J, *see* Riccalton-Banks L *et al*
Fujibayashi Y, *see* Ohkura K *et al*
Fujii S, *see* Sugawara T *et al*
Fujino T, *see* Takahashi S *et al*
Fujita K, *see* Tsujii E *et al*
Furumoto T, *see* Sugawara T *et al*

Galicka A, Wołczyński S, Gindzieński A, Surażyński A and Pałka J: Gly511 to Ser substitution in the *COLIA1* gene in osteogenesis imperfecta type III patient with increased turnover of collagen 49–56
Gan Y, *see* Do E *et al*
Gindzieński A, *see* Galicka A *et al*
Goto D, *see* Sugawara T *et al*
Grilli A, *see* Reale M *et al*

Hamamoto T, *see* Tsujii E *et al*
Hanada A, *see* Iizuka K *et al*
Hasegawa K, *see* Yanazume T *et al*
Hashimoto T, *see* Nimata M *et al*
Hayashi H, *see* Takeuchi K *et al*
Higuchi M, Hirata K, Yamashita A and Nishi K: Effects of epinephrine on underperfusion-reperfusion injuries in diabetic and non-diabetic rat hearts 157–163

Hirano K, Derkach DN, Hirano M, Nishimura J and Kanaide H: Protein kinase network in the regulation of phosphorylation and dephosphorylation of smooth muscle myosin light chain 105–114
Hirano M, *see* Hirano K *et al*
Hirata K, *see* Higuchi M *et al*
Horikoshi M, *see* Ohkura K *et al*
Horimoto H, *see* Nomura Y *et al*
Horimoto H, *see* Okawa H *et al*
Hur KC, *see* Kang JL *et al*

Iizuka K, Morita N, Nagai T, Hanada A, Okita K, Yonezawa K, Murakami T, Kitabatake A and Kawaguchi H: A 44-kDa of protein identical to the N-terminal amino acid sequence of MCT1 in human circulation 217–223
Imagawa S, *see* Sugawara T *et al*
Irie Y, *see* Do E *et al*
Ishizaki K, *see* Nimata M *et al*
Iwasaka H, *see* Kitano T *et al*

Jesmin S, *see* Sugawara T *et al*

Kanaide H, *see* Hirano K *et al*
Kang JL, Lee HS, Pack IS, Hur KC and Castranova V: Phosphoinositide 3-kinase activity leads to silica-induced NF-κB activation through interacting with tyrosine-phosphorylated IκB-α and contributing to tyrosine phosphorylation of p65 NF-κB 17–24
Kaplan P, Babusikova E, Lehotsky J and Dobrota D: Free radical-induced protein modification and inhibition of Ca^{2+}-ATPase of cardiac sarcoplasmic reticulum 41–47
Katoh H, *see* Takeuchi K *et al*
Kawaguchi H, *see* Iizuka K *et al*
Kawai C, *see* Nimata M *et al*
Kawai M, Chen J, Cheung CYS and Chang TKH: Transcript profiling of cytochrome P450 genes in HL-60 human leukemic cells: Upregulation of CYP1B1 by all-*trans*-retinoic acid 57–65
Kawamura T, *see* Yanazume T *et al*
Kawana K-I, *see* Tanonaka K *et al*
Kishimoto C, *see* Nimata M *et al*
Kishimoto C, *see* Yuan Z *et al*
Kitabatake A, *see* Iizuka K *et al*
Kitabatake A, *see* Sugawara T *et al*
Kitaguchi S, *see* Nimata M *et al*
Kitano T, Nisimaru N, Shibata E, Iwasaka H, Noguchi T and Yokoi I: Monocarboxylates and glucose utilization as energy substrates in rat brain slices under selective glial poisoning – a ^{31}P NMR study 225
Koyama T, *see* Sugawara T *et al*
Kuo C-H, *see* Do E *et al*

Lee HS, *see* Kang JL *et al*
Lee JD, *see* Ohkura K *et al*
Lehotsky J, *see* Kaplan P *et al*
Lokesh BR, *see* Rao R

Malarkodi KP, *see* Varalakshmi P *et al*
Matsumoto T, Miura T, Miki T, Nishino Y, Nakamura Y and Shimamoto K: Does enhanced expression of the Na^+-Ca^{2+} exchanger increase myocardial vulnerability to ischemia/reperfusion injury in rabbit hearts? 141–147
Mieno S, *see* Nomura Y *et al*
Mieno S, *see* Okawa H *et al*
Miki N, *see* Do E *et al*
Miki T, *see* Matsumoto T *et al*
Miura T, *see* Matsumoto T *et al*
Miyamori I, *see* Takahashi S *et al*
Miyamoto Y, *see* Tanonaka K *et al*
Morimoto T, *see* Yanazume T *et al*
Morita N, *see* Iizuka K *et al*
Murakami T, *see* Iizuka K *et al*

Nagai T, *see* Iizuka K *et al*
Nagata N, *see* Nimata M *et al*
Nakahara K-I, *see* Nomura Y *et al*
Nakamura H, *see* Yuan Z *et al*
Nakamura Y, *see* Matsumoto T *et al*
Nakano A, *see* Ohkura K *et al*
Nimata M, Kishimoto C, Shioji K, Ishizaki K, Kitaguchi S, Hashimoto T, Nagata N and Kawai C: Upregulation of redox-regulating protein, thioredoxin, in endomyocardial biopsy samples of patients with myocarditis and cardiomyopathies 193–196
Nishi K, *see* Higuchi M *et al*
Nishimura J, *see* Hirano K *et al*
Nishino Y, *see* Matsumoto T *et al*
Nisimaru N, *see* Kitano T *et al*
Noguchi T, *see* Kitano T *et al*
Nomura Y, Horimoto H, Mieno S, Nakahard K-I, Okawa H, Yoshida M and Sasaki S: Repetitive preischemic infusion of phosphodiesterase III inhibitor olprinone elicits cardioprotective effects in the failing heart after myocardial infarction 179–184
Nomura Y, *see* Okawa H *et al*

Ohashi K, *see* Takeuchi K *et al*
Ohkura K, Lee J-D, Shimizu H, Nakano A, Uzui H, Horikoshi M, Fujibayashi Y, Yonekura Y and Ueda T: Mitochondrials complex I activity is reduced in latent adriamycin-induced cardiomyopathy of rat 203–208
Okada T, *see* Watanabe M *et al*
Okawa H, Horimoto H, Mieno S, Nomura Y, Yoshida M and Sasaki S: Preischemic infusion of alpha-human atrial natriuretic peptide elicits myoprotective effects against ischemia reperfusion in isolated rat hearts 171–177
Okawa H, *see* Nomura Y *et al*
Okita K, *see* Iizuka K *et al*
Oyamada M, *see* Tsujii E *et al*
Ozeki M, *see* Takeuchi K *et al*

Pack IS, *see* Kang JL *et al*
Pařka J, *see* Galicka A *et al*
Pall ML, *see* Smirnova IV

Quesada P, *see* Di Meglio S *et al*

Rao R and Lokesh BR: Nutritional evaluation of structured lipid containing omega 6 fatty acid synthesized from coconut oil in rats 25–33
Reale M, Di Giulio C, Cacchio M, Barbacane RC, Grilli A, Felaco M, Bianchi G, Di Gioacchino M and Conti P: Oxygen supply modulates MCP-1 release in monocytes from young and aged rats: Decrease of MCP-1 transcription and translation is age-related 1–6
Riccalton-Banks L, Bhandari R, Fry J and Shakesheff KM: A simple method for the simultaneous isolation of stellate cells and hepatocytes from rat liver tissue 97–102

Sakai J, *see* Takahashi S *et al*
Sakuma I, *see* Sugawara T *et al*
Sandhya S, *see* Varalakshmi P *et al*
Sasaki S, *see* Nomura Y *et al*
Sasaki S, *see* Okawa H *et al*
Sasayama S, *see* Yuan Z *et al*
Satoh H, *see* Takeuchi K *et al*
Scovassi AI, *see* Di Meglio S *et al*
Shakesheff KM, *see* Riccalton-Banks L *et al*
Shibata E, *see* Kitano T *et al*
Shikata C, Takeda A and Takeda N: Effect of an ACE inhibitor and an AT1 receptor antagonist on cardiac hypertrophy 197–202
Shimamoto K, *see* Matsumoto T *et al*
Shimizu H, *see* Ohkura K *et al*
Shioji K, *see* Nimata M *et al*
Shioji K, *see* Yuan Z *et al*
Singh J, *see* Draper CE *et al*
Smirnova IV and Pall ML: Elevated levels of protein carbonyls in sera of chronic fatigue syndrome patients 93–95

Sugawara T, Fujii S, Zaman AKMT, Goto D, Furumoto T, Imagawa S, Dong J, Sakuma I, Jesmin S, Togashi H, Yoshioka M, Koyama T and Kitabatake A: Coronary capillary network remodeling and hypofibrinolysis in aged obese diabetic rats: Implications for increased myocardial vulnerability to ischemia 165–170
Surażyński A, *see* Galicka A *et al*
Swinney R, *see* Vishwanatha JK *et al*

Taira E, *see* Do E *et al*
Takahashi M, *see* Tanonaka K *et al*
Takahashi S, Sakai J, Fujino T, Miyamori I and Yamamoto TT: The very low density lipoprotein (VLDL) receptor – a peripheral lipoprotein receptor for remnant lipoproteins into fatty acid active tissues 121–127
Takamatsu T, *see* Tsujii E *et al*
Takeda A, *see* Shikata C *et al*
Takeda N, *see* Shikata C *et al*
Takeo S, *see* Tanonaka K *et al*
Takeuchi K, Watanabe H, Tran Q-K, Ozeki M, Uehara A, Katoh H, Satoh H, Terada H, Ohashi K and Hayashi H: Effects of cytochrome P450 inhibitors on agonist-induced Ca^{2+} responses and production of NO and PGI_2 in vascular endothelial cells 129–134
Tanaka H, *see* Do E *et al*
Tanaka H, *see* Tsujii E *et al*
Tanonaka K, Toga W, Takahashi M, Kawana K-i, Miyamoto Y, Yoshida H and Takeo S: Hsp70 attenuates hypoxia/reoxygenation-induced activation of poly(ADP-ribose) synthetase in the nucleus of adult rat cardiomyocytes 149–155
Terada H, *see* Takeuchi K *et al*
Toga W, *see* Tanonaka K *et al*
Togashi H, *see* Sugawara T *et al*
Tramontano F, *see* Di Meglio S *et al*
Tran Q-K, *see* Takeuchi K *et al*
Tsujii E, Tanaka H, Oyamada M, Fujita K, Hamamoto T and Takamatsu T: *In situ* visualization of the intracellular Ca^{2+} dynamics at the border of the acute myocardial infarct 135–140

Ueda T, *see* Ohkura K *et al*
Uehara A, *see* Takeuchi K *et al*
Uzui H, *see* Ohkura K *et al*

Vallefuoco S, *see* Di Meglio S *et al*
Varalakshmi P, Sandhya S and Malarkodi KP: Evaluation of the effect of lipoic acid administered along with gentamicin in rats rendered bacteremic 35–40
Vishwanatha JK, Swinney R and Banerjee AG: Modulation of annexin I and cyclooxygenase-2 in smokeless tobacco-induced inflammation and oral cancer 67–75

Wada H, *see* Yanazume T *et al*
Watanabe H, *see* Takeuchi K *et al*
Watanabe M and Okada T: Lysophosphatidylcholine-induced myocardial damage is inhibited by pretreatment with poloxamer 188 in isolated rat heart 209–215
Wołczyński S, *see* Galicka A *et al*

Yamamoto TT, *see* Takahashi S *et al*
Yamashita A, *see* Higuchi M *et al*
Yanazume T, Morimoto T, Wada H, Kawamura T and Hasegawa K: Biological role of p300 in cardiac myocytes 115–119
Yodoi J, *see* Yuan Z *et al*
Yokoi I, *see* Kitano T *et al*
Yonekura Y, *see* Ohkura K *et al*
Yonezawa K, *see* Iizuka K *et al*
Yoshida H, *see* Tanonaka K *et al*
Yoshida M, *see* Nomura Y *et al*
Yoshida M, *see* Okawa H *et al*
Yoshioka M, *see* Sugawara T *et al*
Yuan Z, Kishimoto C, Shioji K, Nakamura H, Yodoi J and Sasayama S: Temocapril treatment ameliorates autoimmune myocarditis associated with enhanced cardiomyocyte thioredoxin expression 185–192

Zaman AKMT, *see* Sugawara T *et al*